



2022

Rental & Touring Sets

NX 32-A / NX 45-A FIRPHASE

ACTIVE TWO-WAY MULTIFUNCTIONAL LOUDSPEAKERS

Professional loudspeaker of the NX series with multifunctional housing made of birch plywood. Thanks to the large drivers, they are very powerful and can also be used as stage monitors. With Powercon connection; in a practical double case.

Tool-free swivel tilt bracket optionally available!

NX32-A Case Set		
2x NX32-A	13000550	2.466,00 €
Case für 2 NX32-A	99999245	790,00 €
Total:		3.256,00 €

NX45-A Case Set		
2x NX45-A	13000552	2.866,00 €
Case für 2x NX45-A	99999244	850,00 €
Total:		3.716,00 €



NX 32-A

- Driver: 1.4"; 3" Voicecoil
- Woofer: 12"; 2.5" Voicecoil
- 131dB MAX SPL
- 50Hz - 20.000Hz
- 700 Watt RMS
- 90° x 60°
- 20,6 kg

NX 45-A

- Driver: 1.4"; 4" Voicecoil
- Woofer: 15"; 3.5" Voicecoil
- 133dB MAX SPL
- 45Hz - 20.000Hz
- 700 Watt RMS
- 90° x 50°
- 24 kg

NX32-A Cover Set		
2x NX32-A	13000550	2.466,00 €
Cover für 2 NX32-A	13360408	148,00 €
Total:		2.614,00 €

NX45-A Cover Set		
2x NX45-A	13000552	2.866,00 €
Cover für 2x NX45-A	99999244	156,00 €
Total:		3.022,00 €





NX 985-A FIRPHASE BASS MOTION CONTROL NEW

ACTIVE THREE-WAY MULTIFUNCTIONAL LOUDSPEAKER

Professional speakers of the NX series made of birch plywood. Powerful and precise sound thanks to sound by means of three-way technology and specially designed and manufactured RCF components.



NX 985-A

- 1100 Watt RMS
- 100° x 60°
- Driver: 1.75" Neo Comp
- Mid: 8"; 2.5" Voicecoil
- Woofer: 15" High Power
- 138dB MAX SPL
- 40Hz - 20.000Hz

NX985-A Set		
2x NX985-A	13000743	3.332,00 €
Total:		3.332,00 €

NX 10-SMA

ACTIVE COAXIAL STAGE MONITORS

NX 10-SMA

- Driver: 1,7" Kapton Dome , 1" Exit
- Woofer: 10" Neodym, 2.5"V.C.
- 127 DB MAX SPL
- 60Hz - 20000Hz
- 400 WATT RMS BI-AMP
- 14,3kg



NX 12-SMA

NX 12-SMA

- Driver: 1,7" Kapton Dome , 1" Exit
- Woofer: 12" Neodym, 2.5"V.C.
- 129 DB MAX SPL
- 50Hz - 20000Hz
- 700 WATT RMS BI-AMP
- 16,6kg



NX 15-SMA

NX 15-SMA

- Driver: 1,7" Kapton Dome , 1" Exit
- Woofer: 15" Neodym, 2.5"V.C.
- 130 DB MAX SPL
- 50Hz - 20000Hz
- 700 WATT RMS BI-AMP
- 20,2kg



NX10-SMA Cover Set		
2x NX10-SMA	13000233	2.116,00 €
Cover für 2 NX10-SMA	13360167	122,00 €
Total:		2.238,00 €

NX12-SMA Cover Set		
2x NX12-SMA	13000235	2.816,00 €
Cover für 2x NX12-SMA	13360168	128,00 €
Total:		2.944,00 €

NX15-SMA Cover Set		
2x NX15-SMA	13000260	3.232,00 €
Cover für 2x NX15-SMA	13360174	136,00 €
Total:		3.368,00 €

NXL 24-A MKII / NXL 44-A MKII

FIRPHASE

BASS MOTION CONTROL

NEW

SCALABLE TWO-WAY LINESOURCES

Active linesources in wooden housing. Very flexible thanks to wide horizontal directivity and headstack capable due to the vertical asymmetric horn. Now with polyurea coating. Flyable by flybar, link- and flybar optionally available!

NXL 24-A MKII

- Driver: 1.4" neo; 3" V.C.
- Woofer: 4x6" neo; 1.5" V.C.
- 132dB MAX SPL
- 60Hz - 20.000Hz
- 700 Watt RMS
- 100° x 30°
- 24,4 kg

NXL 44-A MKII

- Driver: 1.4" neo; 3" V.C.
- Woofer: 3x10 neo"; 2.5" V.C.
- 135dB MAX SPL
- 45Hz - 20.000Hz
- 1050 Watt RMS
- 100° x 25°
- 33,4 kg

NXL 24-A FL-B Set

2x NXL24-A MKII	13000610	3.166,00 €
2x FL-B NXL24-A	13360278	390,00 €
Total:		3.556,00 €

NXL 44-A FL-B Set

2x NXL44-A	13000479	4.832,00 €
2x FL-B NXL 44-A	13360345	500,00 €
Total:		5.332,00 €



NXL 24-A MKII

NXL 44-A MKII

MANY CONFIGURATION POSSIBILITIES



Beispiel: NXL 44-A

The vertically asymmetrical horn design precisely transmits sound energy and avoids unwanted reflections when placed on a subwoofer or speaker stand without the need to tilt the cabinet. This design also allows two NXL columns to be configured for optimal coverage. Intelligibility is significantly improved in difficult acoustic environments. The speaker offers extended low frequency response that is further enhanced when paired with a subwoofer for mid-sized concerts and DJ sets.

HDL

HDL 6-A FIRPHASE

ACTIVE TWO-WAY LINE ARRAY

Extremely lightweight, symmetrical 2-way compact line array in a 6-piece Amptown tour case or 6-piece dolly, including rain cover.




HDL 6-A

- Driver: 1" neo, 1.75" V.C.
- Woofer: 2x6" neo, 2" V.C.
- 45Hz - 20.000Hz
- 131dB MAX SPL
- 700 Watt RMS
- 10° x 100°
- Neodym-Komponenten
- 11,6kg

HDL6-A Case Set		
6x HDL 6-A	13000496	8.580,00 €
Case für 6x HDL6-A	999999235	1.450,00 €
6x Rain Cover	13360381	330,00 €
Total:		10.360,00 €

HDL6-A Kart Set		
6x HDL 6-A	13000496	8.580,00 €
KRT-WH 6x HDL 6	13360366	485,00 €
6x Rain Cover	13360381	330,00 €
Total:		9.395,00 €

INSIDE VIEW



/ HIGH FREQUENCIES

- High-performance compression driver ND 340
- 1,7" Schwingspule
- 100° x 10° Precision Waveguide
- transparent voice reproduction
- High level of fine detail

/ LOW FREQUENCIES 6.0" WOOFER

- 2.0" Edge-wound Copper voice coil
- Impregnated membrane
- Polycotton M-roll Surround
- Neodym-Magnet

HDL 12-AS

FLYABLE 12" ACTIVE SUBWOOFER

Rigging compatible and ideal as a complement to the HDL 6-A line array, including 2-piece tour case and rigging adapter.

HDL 12-AS

- Woofer: 12", 3" V.C.
- 40Hz - 120Hz
- 131dB MAX SPL
- 700 Watt RMX
- Flugfähig
- Konvektionsgekühlt
- 25kg

HDL12-A Set

2x HDL 12-AS	13000505	3.580,00 €
FL-B LINK HDL 6-12 (2x)	13360375	400,00 €
Total:		3.980,00 €



HDL

SUB 8004-AS / SUB 8006-AS

Active single or double 18" subwoofers in birch multiplex enclosure.

With a specially adapted to the amp 18" speaker with 4" voice coil and the extra large bass reflex ports, this subwoofer works very effectively.

SUB 8004-AS

- 18", 4" V.C.
- 30Hz - 120Hz
- 136dB MAX SPL
- 1250 Watt RMS
- Delay ingegriert
- Cardioid Preset
- Magnetische Rainprotection
- 56kg

SUB 8004-AS Cover Set		
2x SUB 8004-AS	13000392	5.820,00 €
2x Cover SUB 8004-AS	13360286	240,00 €
2x Rollensatz	13360238	196,00 €
Total:		6.256,00 €

SUB 8006-AS Cover Set		
2x SUB 8006-AS	13000372	9.540,00 €
2x Cover SUB 8006-AS	13360242	460,00 €
2x Rollensatz	13360238	196,00 €
2x RP SUB 8006	13360233	60,00 €
Total:		10.256,00 €



SUB 8004-AS

SUB 8006-AS

- 2x18", 4" V.C.
- 30Hz - 120Hz
- 137dB MAX SPL
- 2500 Watt RMS
- Delay ingegriert
- Cardioid Preset
- Magnetic Rainprotection
- 96,4kg



SUB 8006-AS

SUB 8008-AS

Powerful double 18" subwoofer in birch plywood cabinet

With new powerful amp and specially designed 18" RCF woofer.



SUB 8008-AS

- 2x18", High Power
- 30Hz - 120Hz
- 137dB MAX SPL
- 2200 Watt RMS
- 4 Cardioid Preset
- 8 Crossover Presets

SUB 8008-AS Set		
2x SUB 8008-AS	13000752	4.998,00 €
2x Rollensatz	13360238	196,00 €
Total:		5.194,00 €



HDL 26-A RDNET FIRPHASE

ACTIVE TWO-WAY LINE ARRAY

Professional and network-compatible compact line array in a 6-pack amptown tour case. Linear phase thanks to FIRPHASE processing and a crossover frequency of 750Hz. Raincover and USB RDNet controller included.

HDL26-A Case Set			HDL26-A Kart Set		
6x HDL26-A	13000588	13.920,00 €	6x HDL26-A	13000588	13.920,00 €
6x RP HDL26	13360381	330,00 €	6x RP HDL26	13360381	330,00 €
Case 6x HDL 26-A	999999229	1.450,00 €	Kart 6x HDL 26-A	13360366	485,00 €
Total:		15.700,00 €	Total:		14.735,00 €

HDL 26-A

- Driver: 1.5" neo, 3" V.C.
- Woofer: 2x6" neo, 2" V.C.
- 55Hz - 20.000Hz
- 133dB Max SPL
- 1000 Watt RMS
- 4PATH Waveguide
- 13.5kg



HDL 35-AS RDNET

FLYABLE 15" ACTIVE SUBWOOFER

Rigging compatible and ideal as a complement to the HDL 26-A linear array. Set of 2 incl. rigging adapter.

HDL 35-AS

- 15" neo, 4" V.C.
- 40Hz - 140Hz
- 134dB Max SPL
- 1100 Watt RMS
- Flugfähig
- Konvektionsgekühlt
- 30kg

HDL 35-AS Set

2x HDL 35-AS	13000575	7.080,00 €
2x FL-B LINK	13360375	400,00 €
Total:		7.480,00 €



HDL

HDL 30-A RDNET FIRPHASE

ACTIVE TWO-WAY LINE ARRAY

Active 2 x 10" balanced line array, powerless rigging facilitates setup. RDNet compatible with 0° phase from 680Hz at only 25Kg weight per module.



HDL30-A Case Set		
4x HDL30-A	13000511	15.680,00 €
Case 4x HDL30-A	999999236	1.375,00 €
4x RP HDL30-A	13360388	136,00 €
2 x QL-PIN D9.6 L21.3 4X	13360219	192,00 €
Total:		17.383,00 €

HDL 30-A

- Driver: 1.4" neo, 4" V.C.
- Woofer: 2x10"neo, 2.5" V.C.
- 50Hz - 20.000Hz
- 137dB Max SPL
- 1100 Watt RMS
- Einfaches Rigging
- 25kg



The RDNet software is available for free download for registered users.

HDL30-A Kart Set		
4x HDL30-A	13000511	15.680,00 €
KRT-WH 4x HDL 30	13360382	640,00 €
CVR 4x HDL 30	13360386	240,00 €
4x RP HDL30-A	13360388	136,00 €
2 x QL-PIN D9.6 L21.3 4X	13360219	192,00 €
Total:		16.888,00 €



HDL 38-AS RDNET

FLYABLE 18" ACTIVE SUBWOOFER

Rigging compatible and ideal as a complement to the HDL 30-A line array.

HDL38-AS Kart Set Small		
4x HDL 38-AS	13000580	18.320,00 €
2x Kart HDL 38-AS	13360430	1.560,00 €
Total:		19.880,00 €

HDL38-AS Kart Set		
6x HDL 38-AS	13000580	27.480,00 €
2x Kart HDL 38-AS	13360430	1.560,00 €
2x Cover 3x HDL 38	13360433	1.560,00 €
Total:		30.600,00 €

HDL 38-AS

- 18"neo, 4" V.C.
- 30Hz - 140Hz
- 136dB Max SPL
- 1600 Watt RMS
- Flugfähig
- Konvektionsgekühlt
- 48,7kg



POWER DISTRIBUTION

Robust 19" modules for easy and clear cabling of line arrays. 32A CEE input adapted to 3 x multipin/hybrid cable. The flexible patch options between audio inputs and network inputs and outputs of the arrays and the RDNet controller make the setup much easier.

In addition to a balanced audio line, a CAT6 network signal and one (single phase) or two (dual phase) 16A power lines are combined in a hybrid cable. This way, even large line array hangs e.g. 2x 12 HDL30 can be supplied very comfortably and clearly with one cable per array.

- 19" rack units suitable for touring
- Robust plug connections
- Hybrid cable with cable pick
- Robust HAN-ECO plug-in connections
- 16A C 30mA RCBOs



Multicable

Power 32 Dual Phase - Set

PBS-32EU HDL Powerbox Dual Phase	999999259	3.020,00 €
19" Panel Control/ 8 RJ45 RDNet + 1 RJ45	999999241	659,00 €
RD-Net Control 8	17170154	1.250,00 €
2x CBL Ethercon to XLR F 0,2m	12399019	78,00 €
2x CBL Ethercon to XLR M 0,2m	12399020	78,00 €
3x HDL Multicable 25m Dual Phase	999999257	2.895,00 €
HDL Multipin Extension 15m Dual Phase	999999258	759,00 €
Total:		8.739,00 €

Power 32 Single Phase - Set

PBS-32EU HDL Powerbox Dual Phase	999999259	3.020,00 €
19" Panel Control/ 8 RJ45 RDNet + 1 RJ45	999999241	659,00 €
RD-Net Control 8	17170154	1.250,00 €
2x CBL Ethercon to XLR F 0,2m	12399019	78,00 €
2x CBL Ethercon to XLR M 0,2m	12399020	78,00 €
3x HDL Multicable 25m Single Phase	999999250	2.337,00 €
HDL Multipin Extension 15m Single Phase	999999256	659,00 €
Total:		8.081,00 €

SUBWOOFERS

SUB 9004-AS / SUB 9006-AS / SUB 9007-AS RDNET

POWERFUL SUBWOOFER SINGLE/DOUBLE 18" resp. DOUBLE 21"

The design matches the width of the HDL10 or HDL 28 (9004 portrait) and HDL20 or HDL30 (9004 landscape and 9007 portrait). Thanks to RDNet integration, it can be used especially flexibly in complex bass arrays. Rain cover included.



The RDNet software is available for download free of charge for registered users.

SUB 9004-AS

- 18"neo, 4" V.C.
- 30Hz - 400Hz
- 136dB Max SPL
- 1400 Watt RMS
- Cardioid Preset
- 57kg

SUB 9004-AS Cover/Case Set

2x SUB 9004-AS	13000546	7.540,00 €
2x Cover SUB 9004-AS	13360397	280,00 €
2x Front Kart SUB 9004 -AS	13360385	830,00 €
2x SUB 9004-AS Rain Protection	13360437	380,00 €
Total:		9.030,00 €

SUB 9006-AS

- 2x18"neo, 4" V.C.
- 30 Hz - 400 Hz
- 142dB Max SPL
- 3600 Watt RMS
- Cardioid Preset
- 86kg

SUB 9006-AS Cover/Case Set


2x SUB 9006-AS	13000494	12.160,00 €
2x Cover SUB 9006-AS	13360363	480,00 €
2x Front Kart SUB 9006-AS	13360361	1.080,00 €
2x SUB 9006-AS Rain Protection	13360362	380,00 €
Total:		14.100,00 €

SUB 9007-AS

- 2x21"neo, 4" V.C.
- 25 Hz - 400 Hz
- 141dB Max SPL
- 3600 Watt RMS
- Cardioid Preset
- 96kg

SUB 9007-AS Cover/Case Set

2x SUB 9007-AS	13000493	13.020,00 €
2x Cover SUB 9007-AS	13360339	480,00 €
2x Front Kart SUB 9007-AS	13360348	1.080,00 €
2x SUB 9007-AS Rain Protection	13360352	380,00 €
Total:		14.960,00 €



SUB 9007-AS

TT 4-A Serie RDNET FIRPHASE

THE SOLUTION SPEAKER

Unique rigging solutions, the versatile transducer arrangement and the three different dispersion patterns available allow the TT4A Series loudspeakers to be adapted to a wide range of applications. They can be flown or stacked as horizontal or vertical arrays. The 90° rotatable waveguide can be exchanged for the woofer from the upper to the central position. This allows, for example, the TTL 4-A to be arranged as vertical line arrays or horizontal clusters of up to six modules (150° coverage).



TTP 4-A Case Set		
2x TTP 4-A	13000604	8.520,00 €
Case 2x TT 4	999999265	850,00 €
Total:		9.370,00 €
<i>Set Price:</i> 9.370,00 €		

TTP 4-A Cover Set		
2x TTP 4-A	13000604	8.520,00 €
Cover 2x TT 4	13360440	200,00 €
Total:		8.720,00 €
<i>Set Price:</i> 8.720,00 €		

TTL 4-A	
■ Driver:	1,5", 4" V.C.
■ Woofer:	2x10", 3" V.C
■	45Hz - 20.000Hz
■	135dB Max SPL
■	1600 Watt RMS
■	100° x 25°
■	30,4kg

TTP 4-A	
■ Driver:	1,5", 4" V.C.
■ Woofer:	2x10", 3" V.C
■	45Hz - 20.000Hz
■	135dB Max SPL
■	1600 Watt RMS
■	60° x 25°
■	30,4kg

TTW 4-A	
■ Driver:	1,5", 4" V.C.
■ Woofer:	2x10", 3" V.C
■	45Hz - 20.000Hz
■	134dB Mx SPL
■	1600 Watt RMS
■	100° x 50°
■	30,4kg

TTL 4-A Case Set		
2x TTL 4-A	13000584	8.520,00 €
Case 2x TT 4	999999265	850,00 €
Total:		9.370,00 €
<i>Set Price:</i> 9.370,00 €		

TTL 4-A Cover Set		
2x TTL 4-A	13000584	8.520,00 €
Cover 2x TT 4	13360440	200,00 €
Total:		8.720,00 €
<i>Set Price:</i> 8.720,00 €		

TTW 4-A Case Set		
2x TTW 4-A	13000573	8.520,00 €
Case 2x TT 4	999999265	850,00 €
Total:		9.370,00 €
<i>Set Price:</i> 9.370,00 €		

TTW 4-A Cover Set		
2x TTW 4-A	13000573	8.520,00 €
Cover 2x TT 4	13360440	200,00 €
Total:		8.720,00 €
<i>Set Price:</i> 8.720,00 €		

TT 08-A MKII RDNET FIRPHASE

ACTIVE TWO-WAY NEARFIELD LOUDSPEAKER

Professional 8" nearfield loudspeaker with an extremely robust and weatherproof surface thanks to polyurea coating. Ideal as nearfill or standalone on a tripod. Versatile thanks to RDNet interface.



TT 08-A MKII

- Driver: 1"neo, 1.7" V.C.
- Woofer: 8"neo, 2.5" V.C.
- 65Hz - 20.000Hz
- 128dB Max SPL
- 1000 Watt RMS
- 90° x 70°
- 11kg

TT 08-A MKII Case Set		
2x TT 08-A MKII	13000547	3.100,00 €
Case 2xTT08-A MKII	999999261	790,00 €
Total:		3.890,00 €
<i>Set Price:</i> 3.890,00 €		

TT 08-A MKII Cover Set		
2x TT 08-A MKII	13000547	3.100,00 €
2x Cover TT08-A MKII	13360403	122,00 €
Total:		3.222,00 €
<i>Set Price:</i> 3.222,00 €		

TT 10-A RDNET FIRPHASE

HIGH-RESOLUTION TWO-WAY NEAR-FIELD LOUDSPEAKER

Professional 10" nearfield loudspeaker with an extremely durable and weatherproof surface thanks to polyurea coating. Ideal as nearfill or standalone on a tripod. Versatile thanks to RDNet interface.



TT 10-A

- Driver: 1"neo, 1.7" V.C.
- Woofer: 10"neo; 2.5" V.C.
- 60Hz - 20.000Hz
- 130dB Max SPL
- 1000 Watt RMS
- 90° x 70°
- 11,5kg

TT 10-A Case Set		
2x TT 10-A	13000549	3.700,00 €
Case 2xTT10-A	999999262	790,00 €
Total:		4.490,00 €
<i>Set Price:</i> 4.490,00 €		

TT 10-A Cover Set		
2x TT 10-A	13000549	3.700,00 €
2x Cover TT10-A	13360404	122,00 €
Total:		3.822,00 €
<i>Set Price:</i> 3.822,00 €		

TT 22-A MKII RDNET FIRPHASE

ACTIVE 2-WAY HIGH POWER SPEAKER

Active, very versatile 12" speaker with very high sound pressure level.



TT 22-A MKII

- Driver: 1.5"neo, 3" V.C.
- Woofer: 12"neo; 3.5" V.C.
- 50Hz - 20.000Hz
- 131dB Max SPL
- 1100 Watt RMS
- 90° x 60°
- 22,6kg

TT 22-A MKII Case Set		
2x TT 22-A MKII	13000444	5.680,00 €
Case 2xTT22-A MKII	999999238	800,00 €
Total:		6.480,00 €
<i>Set Price:</i> 6.480,00 €		

TT 22-A MKII Cover Set		
2x TT 22-A MKII	13000444	5.680,00 €
2x Cover TT22-A MKII	13360325	152,00 €
Total:		5.832,00 €
<i>Set Price:</i> 5.832,00 €		



TT 515-A RNET FIRPHASE BASS MOTION CONTROL NEW

PROFESSIONAL ACTIVE SPEAKER

Flexibility, performance and compactness make the TT 515-A ideal for installed and mobile professional applications where size and weight are critical factors.



TT 515-A

- Driver: 1"neo; 1,75" V.C.
- Woofer: 2x5"neo; 2" V.C.
- 70Hz - 20.000Hz
- 127dB Max SPL
- 1000 Watt RMS
- 100° x 70°
- 9,8kg

TT 515-A Cover Set

2x TT 515-A	13000686	2.980,00 €
2x Cover TT515-A	13360482	92,00 €
Total:		3.072,00 €

Set Price: ~~3.164,00 €~~

TT 808-AS RNET BASS MOTION CONTROL NEW

PROFESSIONAL ACTIVE SUBWOOFER

The TT 808-AS is a compact high-performance active subwoofer designed specifically for use with TT515.



TT 808-AS

- 2x8"neo, 2,5" V.C.
- 40 Hz - 400 Hz
- 129dB Max SPL
- 1000 Watt RMS
- 21kg

TT 808-AS Cover Set		
2x TT 808-AS	13000446	3.560,00 €
2x Cover TT808-AS	13360486	144,00 €
Total:		3.704,00 €
<i>Set Price:</i> 3.848,00 €		

TT 515-A/TT 808-AS Stereo Set		
2x TT 515-A	13000686	2.980,00 €
2x Cover TT515-A	13360482	92,00 €
2x PM-Kit TT515	13360458	52,00 €
2x PM-Kit M20 Pole	13360067	92,00 €
2x TT 808-AS	13000446	3.560,00 €
2x Cover TT808-AS	13360486	144,00 €
Total:		6.920,00 €
<i>Set Price:</i> 7.104,00 €		



TTS 15-A RDNET

ACTIVE HIGH PERFORMANCE SUBWOOFER

Compact subwoofer for professional applications. Ideal in combination with TT+ two-way speakers.



TTS 15-A Cover Set

2x TTS 15-A	13000543	4.880,00 €
2x Cover TTS 15-A	13360395	250,00 €
2x TTS 15-A Rollbrett	13360383	720,00 €
Total:		5.850,00 €

Set Price:


TTS 15-A

- 15", 3" V.C.
- 40Hz - 400Hz
- 134dB Max SPL
- 1100 Watt RMS
- 36,5kg



CLASSIC BASS REFLEX PORT

The airflow becomes turbulent and the turbulence comes to light.



IMPROVED BASS REFLEX PORT FOR LAMINAR FLOW

Good aerodynamic properties of the airflow increase efficiency and reduce distortion



INSIDE VIEW

/ HIGH PERFORMANCE HYPERVENTED WOOFER

RCF manufactures these components to ensure the clearest, punchiest and most undistorted low frequency reproduction. To dissipate the heat from the powerful 4.0" voice coil, RCF engineers have developed a unique ventilation system with very low power compression. The hyper ventilation system is the result of a complex combination of ventilation channels in the voice coil former, magnetic structure and basket. In addition, a demodulation ring reduces the harmonic and intermodulation distortions associated with voice coil displacement.

TTS 18-A II RDNET

ACTIVE HIGH POWER SUBWOOFER

18" subwoofer for professional applications, ideal in combination with TT+ two-way speakers.

TTS 18-A II

- 18"neo, 4" V.C.
- 30Hz - 400Hz
- 137dB Max SPL
- 1400 Watt RMS
- 52kg



TTS 18-AS Cover Set

2x TTS 18-A II	13000545	8.780,00 €
2x Cover TTS 18-A	13360396	270,00 €
2x TTS 18-A Rollbrett	13360384	780,00 €
Total:		9.830,00 €

Set Price:

The 1400 W RMS Class-D SMPS amplifier can be easily monitored and controlled via RDNet.



TT 20-CXA RDNET FIRPHASE

COMPACT ACTIVE STAGE MONITOR

Professional and particularly inconspicuous 2x 8" stage monitor with RDNet interface.



TT 20-CXA

- Driver: 1.5"neo, 3" V.C.
- Woofer: 2x8"neo, 2.5" V.C.
- 60Hz - 20.000Hz
- 131dB Max SPL
- 1000 Watt RMS
- 90° x 70°

TT 20-CXA Case Set

2x TT 20-CXA	13000544	4.560,00 €
Case 2x TT 20-CXA	999999264	815,00 €
Total:		5.375,00 €

Set Price:

TT 25-CXA RDNET FIRPHASE

ACTIVE HIGH PERFORMANCE STAGE MONITOR

Professional 15" coaxial stage monitor with RDNet interface.



TT 25-CXA

- Driver: 1.5"neo , 2.5" V.C.
- Woofer: 15"neo , 3.5" V.C.
- 50Hz - 20.000Hz
- 133dB Max SPL
- 1100 Watt RMS
- 60° x 60°
- 18kg

TT 25-CXA Case Set

2x TT 25-CXA	13000448	5.420,00 €
Case 2x TT 25-CXA	999999240	850,00 €
Total:		6.270,00 €

Set Price:

*NET-PRICE=PRICE EXCLUDING VAT .

SET PRICE = SPECIAL NET PURCHASE PRICE

VALID FROM 01.03.2022 UNTIL 31.05.2022

THIS PRICE LIST REPLACES ALL PREVIOUS PRICE LISTS.
ALL PRICES AND SPECIFICATION ARE SUBJECT TO CHANGE
WITHOUT PRIOR NOTICE.

IN ACCORDANCE WITH THE GENERAL TERMS AND CONDITIONS OF
DBTECHNOLOGIES DEUTSCHLAND GMBH ON BEHALF OF
RCF S.P.A.

Contact:
dBTechnologies Deutschland GmbH
Hansestr. 93
51149 Cologne
Tel. +49 2231 92537-0
E-Mail: sales@rcf.de

www.rcf.it